# XML Package Maker (XPM)

It is a tool to generate XML packages for SciELO and PMC.

### How to use

Use the Windows menu to open the program.

\_images/scielo\_menu\_xpm.png \_images/xpm\_gui.png

Select the folder which contains XML package files

\_images/xpm\_gui\_selected\_folder.png

Press XML Package Maker.

Or, to execute Package Maker via command line, open the terminal and go to the folder where the program is installed:

\_images/mkp-pkm-dos.jpg

Then type:

python xml\_package\_maker.py <xml\_package\_folder>

images/mkp-pm-cmd.jpg

# Results

- XML files for SciELO (scielo package and/or scielo package zips folders)
- XML files for PMC (pmc package folder)
- report files (errors folder)

The output folder (0103-2070-ts-08-02\_xml\_package\_maker\_result) is generated in the same folder in which contains the input folder (0103-2070-ts-08-02)

\_images/xpm\_result\_folders.png

# Reports

After finishing the processing the reports are displayed in a Web browser.

Switch between the tabs.

# Summary report

#### Validations Statistics

Presents the total of fatal errors, errors, and warnings, found in the whole package.

#### **FATAL ERRORS**

represents errors related to Bibliometrics Indicators.

#### **ERRORS**

represents other types of errors

#### **WARNINGS**

represents something that needs more attention

\_images/xpm\_report.png

# Detail report

# Detail report - package validations

Fist of all, XPM validates some package's data:

• Some data must have same value in all the XML files, such as:

#### journal-title

- journal id NLM
- journal ISSN
- publisher name
- issue label
- issue pub date
- Some data must have unique value in all the XML files, such as:

#### doi

- elocation-id, if applicable
- fpage and fpage/@seq
- order (used to generated article PID)

Example of fatal error because of different values for publisher-name.

\_images/xml\_reports\_\_toc\_fatal\_error\_required\_equal\_publisher.jpg

Example of fatal error because of different values for pub-date.

\_images/xml\_reports\_toc\_fatal\_error\_required\_equal\_date.png

Example of fatal error because unique value is required

\_images/xml\_reports\_toc\_fatal\_error\_unique.png.jpg

### Detail report - documents' validations

Presents the documents in a table.

The columns order, aop pid, toc section, @article-type are hightlighted because contains important data.

The column **reports** contains **buttons** to open/close the detail reports of each document.

Each row has the document's data

\_images/xpm\_report\_detail.png

# Detail report - Validations

Click on **Data Quality Control** to view the problems. The detail report is displayed below the row

images/xpm report detail validations.png

# Folders/Files

Displays the files/folders which are inputs and outputs.

\_images/xpm\_report\_folder.png

# Overview report

# Overview report - languages

Displays the elements which contains @xml:lang.

images/xpm report overview lang.png

# Overview report - dates

Displays the dates found in the document: publication and history. Displays the spent time between received and accepted, accepted and published, accepted and the present date.

\_images/xpm\_report\_overview\_date.png

### Overview report - affiliations

\_images/xpm\_report\_overview\_aff.png

# Overview report - references

\_images/xpm\_report\_overview\_ref.png

# Sources report

\_images/xpm\_report\_sources.png \_images/xpm\_report\_sources\_journals.png \_images/xpm\_report\_sources\_others.png

Revision #1 Created 6 August 2021 13:50:44 by Rondineli G. Saad Updated 6 August 2021 13:51:08 by Rondineli G. Saad